

data sheet

Colenta[®]

Colenta New Generation
Film Processor

Film Processor 30 BW 55 6Tank Aerial



Colenta[®]

Colenta FILM Processor - Type Black&White Aerial
for roll and sheet format




11/2019 AN


Colenta[®] Film Processor

30 BW 55 6Tank Aerial

Technical Specifications:

Processing applications:	B&W Aerial film in roll and sheet format	
Process width:	30cm	
Microprocessor Control:	# 6 pre-programmable processing cycles # 1 over night (sleep program) incl "wake-up" feature	
Processing capacity	55cm/min @ 60 sec Dev Time 70cm/min @ 60 sec Dev Time (Dev time is pre-programmable und subject to Developer rack configuration)	

Tank capacities: 30 BW 55 6Tank Aerial



Developer	:	13,0 litre
Fixer1	:	16,5 litre
Fixer2	:	16,5litre
Wash1	:	16,5 litre
Wash2	:	16,5 litre
Wetting	:	7,5 litre

All Colenta Film processor options are micro processor controlled and provide a fully automatic Dry to Dry service for both cut sheet and long roll through a well proven minimum contact hard roller transport system.

Replenishment:	- precisely controlled using opto-sensors to measure the area loading. - activated after a pre-set film area is fed into the processor
High efficiency drying:	via integrated warm air drying system supporting airknives
Temperatures:	All solution temperatures are accurately controlled and monitored with automatic cold water cooling - chiller systems are optional vavailable.
Transport / Drive motor:	precisely controlled by electronic feed-back to ensure consistant developer timing


Standard Accessories:-

# Level control for all Processing & Wash tanks	# Rack Carrier/Drip Tray	# sleep mode
# 30 litre Replenishment storage tanks	# water supply / drain connectors	# CE marking
# user spare part kit	# UPS battery back up	
# Inbuild Roll feed unit to include into the light tight feed box and long roll feed cradle with spool bobbins		
# Motorised Roll Take-Up	# extra spool bobbins	

Optional Accessories:

# chiller unit	# water supply panel	# 2 position chemical mixing concole (2x40L / 2x80L)
----------------	----------------------	--


Technical specification subject to change without notice.

Transport system:**Colenta® 30 BW 55 6Tank Aerial**

All transport modules (racks) and tanks are designed to reduce chemical oxidation to an absolute minimum. This together with our accurate replenishment, temperature control and constant circulation ensures all processing parameters are maintained within pre-set programmable limits.

Tank timings & ratios:


Colenta® 30 BW 55 6Tank Aerial



Water rinsed cross over rollers are in place in order to minimize the chemical carry over from one tank to the next as well to keep the cross over section clean and free from any chemical deposits.

Dimensions:



Colenta® 30 BW 55 6Tank Aerial



We recommend a minimum walking space of 60cm around the processor.

Specifications for wall-opening if the processor has to be installed that way:

Colenta® 30 BW 55 6Tank Aerial



dim. of required wall opening approx. 1400x900mm

dim. of required wall panel approx. 1550x1200x20mm

dim. of clearance wall panel approx. 915x680mm

In case the thickness of the wall is more than 2cm, a wall panel panel has to be installed, this to be able to operate the cover lid of the film loading box.

Electrical supply:


Colenta®

Standard, when 3N~400/230V,
50/60 Hz supply available


Total power consumption:

30 BW 55 6Tank Aerial 8.0 kW

Standard supply net:
3N-400/230 VAC 50/60Hz



Alternatively:
3x230V 50/60 Hz



Single phase connection (230VAC - 50/60Hz)
on request only.

The required power supply is to be indicated and confirmed
when ordering!

Details for shipment:

Colenta®

30 BW 55 6Tank Aerial

214 x 93 x 163cm 480 kg
80 x 70 x 155cm 90 kg

All dimensions & weights are subject to final confirmation.

Colenta® 30 BW 55 6Tank Aerial accessories included:

rack drip tray



30 litre capacity replenisher tanks incl cover for each chemical tank



10 pcs film leaders & punch tool




anti oxidation cover for wet section



UPS Battery power supply back up system



aerial type of roll feed motorized & take up



small user parts kit


basic plumbing connectors for water supply and drain

sleep mode / over night program incl "auto wake-up" function

Colenta® 30 BW 55 6Tank Aerial optional accessories:



Colenta®
Water Supply Panel assy
(see extra documentation)




Colenta®
external chiller unit



day-light
loading option

Colenta®
2x40L / 2x80L Mixing Concole
(see extra documentation)




external 10 or 20 litre
chemical waste
container incl high
level monitoring

low level control for external
replenisher tanks



PVC processor floor trough



NOTES:

[illegible]