

AquaClear

Balcony



SPECIFICATIONS

Features

- 1 Seat and 2 Lounges
- 25 All-Active Hydrotherapy Jets
- Lateral Water Fall
- 3 Multiple Zoned Air Controls
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pump
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 192 cm
- Width: 125cm
- Height: 73 cm
- Water Capacity: 650 liters
- Dry Weight: 150 Kgs
- Filled Weight: 800 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja

Tel: 952 52 43 94

AquaClear

Corazon



SPECIFICATIONS

Features

- 2 Fully Jetted Ergonomic Loungers
- 24 All-Active Hydrotherapy Jets
- 8 Air Jets
- 2 Multiple Zoned Air Controls
- Aromatherapy
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Large Luxury Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pump
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 210 cm
- Width: 170 cm
- Height: 78 cm
- Water Capacity: 850 liters
- Dry Weight: 200 Kgs
- Filled Weight: 1050 Kgs

Technical Specifications

- Pump 1: 3HP
- Pump 2: Air Blower
- Pump 3: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

Duo

AquaClear



SPECIFICATIONS

Features

- 2 Seats
- 22 All-Active Hydrotherapy Jets
- 2 Multiple Zoned Air Controls
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pump
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 225 cm
- Width: 100 cm
- Height: 80 cm
- Water Capacity: 650 liters
- Dry Weight: 150 Kgs
- Filled Weight: 800 Kgs

Technical Specifications

- Pump 1: 3HP
- Pump 2: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 2000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

AquaClear

Triad



SPECIFICATIONS

Features

- 3 Seats, Including a Lounge
- 26 All-Active Hydrotherapy Jets
- 8 Air Blower Jets
- Lateral Water Fall
- Aromatherapy Cannister
- 3 Multiple Zoned Air Controls
- 1 Center Well 3.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pump
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 204 cm
- Width: 158 cm
- Height: 83 cm
- Water Capacity: 850 liters
- Dry Weight: 200 Kgs
- Filled Weight: 1050 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

Companion

AquaClear



SPECIFICATIONS

Features

- 2 Loungers and 1 Seat
- 38 All-Active Hydrotherapy Jets
- 8 Air Blower Jets
- Lateral Water Fall
- 2 Cascading Water Features
- Aromatherapy Cannister
- 3 Multiple Zoned Air Controls
- 1 Center Well 3.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 2 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 204 cm
- Width: 155 cm
- Height: 82 cm
- Water Capacity: 1050 liters
- Dry Weight: 275 Kgs
- Filled Weight: 1325 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: 3 HP
- Pump 3: Circulation Pump
- Pump 4: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

Signature 3

AquaClear



SPECIFICATIONS

Features

- 2 Seats and 1 Lounger
- 60 All-Active Hydrotherapy Jets
- 8 Air Jets
- 3 Multiple Zoned Air Controls
- Aromatherapy
- Waterfall
- Water Fountain
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 5 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 230 cm
- Width: 155 cm
- Height: 91 cm
- Water Capacity: 875 liters
- Dry Weight: 275 Kgs
- Filled Weight: 1150 Kgs

Technical Specifications

- Pump 1: 3HP
- Pump 2: 3HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

INCLUDING

Waterfall Massage Zone, Spinal Zone, Wave Zone and Lumbar Zone

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja

Tel: 952 52 43 94

Riverside



SPECIFICATIONS

Features

- 5 Seats, Including a Lounge
- 26 All-Active Hydrotherapy Jets
- 8 Air Jets
- Lateral Water Fall
- Aromatherapy Cannister
- 4 Multiple Zoned Air Controls
- 1 Center Well 3.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pump
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 200 cm
- Width: 200 cm
- Height: 86 cm
- Water Capacity: 1380 liters
- Dry Weight: 250 Kgs
- Filled Weight: 1630 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

AquaClear

Lakeview



SPECIFICATIONS

Features

- 5 Seats, Including 2 Lounges
- 24 All-Active Hydrotherapy Jets
- 8 Air Jets
- Lateral Water Fall
- Aromatherapy Cannister
- 3 Multiple Zoned Air Controls
- 1 Center Well 3.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pump
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 200 cm
- Width: 200 cm
- Height: 86 cm
- Water Capacity: 1300 liters
- Dry Weight: 275 Kgs
- Filled Weight: 1575 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: Circulation Pump
- Pump 3: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 16 A

AquaClear

Seaview



SPECIFICATIONS

Features

- 5 Seats, Including 1 Lounge
- 48 All-Active Hydrotherapy Jets
- 8 Air Jets
- Lateral Water Fall
- Cascading Water Feature
- Aromatherapy Cannister
- 4 Multiple Zoned Air Controls
- 1 Water Diverter Valve
- 1 Five Inch Center Well LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 215 cm
- Width: 200 cm
- Height: 91 cm
- Water Capacity: 1270 liters
- Dry Weight: 320 Kgs
- Filled Weight: 1590 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: 3 HP
- Pump 3: Circulation Pump
- Pump 4: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

AquaClear

Cascade



SPECIFICATIONS

Features

- 5 Seats, Including 1 Lounge
- 42 All-Active Hydrotherapy Jets
- 8 Air Jets
- Lateral Water Fall
- Cascading Water Feature
- Aromatherapy Cannister
- 4 Multiple Zoned Air Controls
- 1 Water Diverter Valve
- 1 Five Inch Center Well LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 213 cm
- Width: 213 cm
- Height: 91 cm
- Water Capacity: 1666 liters
- Dry Weight: 339 Kgs
- Filled Weight: 2005 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: 3 HP
- Pump 3: Circulation Pump
- Pump 4: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja

Tel: 952 52 43 94

Skyview

AquaClear



SPECIFICATIONS

Features

- 3 Seats and 3 Loungers
- 50 All-Active Hydrotherapy Jets
- 12 Air Jets
- 2 Multiple Zoned Air Controls
- Aromatherapy
- Water Fountain
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 4 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 5 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 254 cm
- Width: 204 cm
- Height: 85 cm
- Water Capacity: 1500 liters
- Dry Weight: 350 Kgs
- Filled Weight: 1850 Kgs

Technical Specifications

- Pump 1: 5HP
- Pump 2: 5HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

Oceanside



SPECIFICATIONS

Features

- 6 Seats, Including 1 Lounge
- 50 All-Active Hydrotherapy Jets
- 10 Air Jets
- Lateral Water Fall
- Cascading Water Feature
- Aromatherapy Cannister
- 4 Multiple Zoned Air Controls
- 1 Water Diverter Valve
- 1 Five Inch Center Well LED Light
- StarBrite Interior Perimeter LED lighting
- 2 Exterior Corner Panel LED Lights
- 4 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 230 cm
- Width: 230 cm
- Height: 91 cm
- Water Capacity: 1570 liters
- Dry Weight: 380 Kgs
- Filled Weight: 1950 Kgs

Technical Specifications

- Pump 1 :2-speed 3,0 HP
- Pump 2: 1-speed 3,0 HP
- Pump 3: Airblower
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

Family

AquaClear



SPECIFICATIONS

Features

- 7 Seats
- 70 All-Active Hydrotherapy Jets
- 8 Air Jets
- 5 Multiple Zoned Air Controls
- Aromatherapy
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 4 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 5 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 226 cm
- Width: 226 cm
- Height: 91 cm
- Water Capacity: 1340 liters
- Dry Weight: 400 Kgs
- Filled Weight: 1740 Kgs

Technical Specifications

- Pump 1: 5HP
- Pump 2: 5HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

INCLUDING

Spinal Zone Massage Seat

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja
Tel: 952 52 43 94

Luxus I



SPECIFICATIONS

Features

- 5 Seats, Including 1 Lounge
- 88 All-Active Hydrotherapy Jets
- 8 Air Jets
- Lateral Water Fall
- 2 Cascading Water Features
- Aromatherapy Cannister
- 5 Multiple Zoned Air Controls
- 1 Water Diverter Valve
- 1 Five Inch Center Well LED Light
- StarBrite Interior Perimeter LED lighting
- 4 Exterior Corner Panel LED Lights
- 3 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3,0 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 228 cm
- Width: 228 cm
- Height: 95 cm
- Water Capacity: 1720 liters
- Dry Weight: 350 Kgs
- Filled Weight: 2070 Kgs

Technical Specifications

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: Circulation Pump
- Pump 5: Airblower
- Filtration: Two Pleated Cartridges
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 25 A

AquaClear

Luxus II



SPECIFICATIONS

Features

- 6 Seats, Including 2 Lounges
- 100 All-Active Hydrotherapy Jets
- 8 Air Jets
- Lateral Water Fall
- Cascading Water Feature
- Aromatherapy Cannister
- 6 Multiple Zoned Air Controls
- 1 Water Diverter Valve
- 1 Five Inch Center Well LED Light
- StarBrite Interior Perimeter LED lighting
- 4 Exterior Corner Panel LED Lights
- 4 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3,0 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 228 cm
- Width: 228 cm
- Height: 95 cm
- Water Capacity: 1680 liters
- Dry Weight: 350 Kgs
- Filled Weight: 2030 Kgs

Technical Specifications

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: Circulation Pump
- Pump 5: Airblower
- Filtration: Two Pleated Cartridges
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 25 A

Signature 4

AquaClear



SPECIFICATIONS

Features

- 2 Seats and 2 Loungers
- 95 All-Active Hydrotherapy Jets
- 8 Air Jets
- 7 Multiple Zoned Air Controls
- Aromatherapy
- Waterfall
- Water Fountain
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 4 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 230 cm
- Width: 230 cm
- Height: 90 cm
- Water Capacity: 1300 liters
- Dry Weight: 400 Kgs
- Filled Weight: 1700 Kgs

Technical Specifications

- Pump 1: 3HP
- Pump 2: 3HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

INCLUDING

Waterfall Massage Zone, Spinal Zone, Flotation Bed, Wave Zone and Lumbar Zone

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja

Tel: 952 52 43 94

Full Moon



SPECIFICATIONS

Features

- 5 Fully Jetted Ergonomic Seats
- 82 All-Active Hydrotherapy Jets
- 10 Air Jets
- Water Diverter Valve
- 3 Multiple Zoned Air Controls
- Aromatherapy
- Wine Cooler
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 5 Large Luxury Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Width: 228 cm Ø
- Height: 94 cm
- Water Capacity: 1405 liters
- Dry Weight: 339 Kgs
- Filled Weight: 1744 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: 3HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

Cloverleaf

AquaClear



SPECIFICATIONS

Features

- 2 Seats & 3 Loungers
- 64 All-Active Hydrotherapy Jets
- 8 Air Jets
- 4 Multiple Zoned Air Controls
- Aromatherapy
- Waterfall
- Water Fountain
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 4 Large Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 255 cm
- Width: 226 cm
- Height: 94 cm
- Water Capacity: 1666 liters
- Dry Weight: 339 Kgs
- Filled Weight: 2082 Kgs

Technical Specifications

- Pump 1: 3HP
- Pump 2: 3HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 20 A

Signature 7

AquaClear



SPECIFICATIONS

Features

- 5 Seats and 2 Loungers
- 83 All-Active Hydrotherapy Jets
- 8 Air Jets
- 5 Multiple Zoned Air Controls
- Aromatherapy
- Waterfall
- Water Fountain
- 1 Center Well 2.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 5 Luxury Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 5 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 305 cm
- Width: 228 cm
- Height: 91 cm
- Water Capacity: 1650 liters
- Dry Weight: 500 Kgs
- Filled Weight: 2150 Kgs

Technical Specifications

- Pump 1: 5HP
- Pump 2: 5HP
- Pump 3: Air Blower
- Pump 4: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 25 A

INCLUDING

Flotation Bed, Spinal Zone and Lumbar Zone

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoutics Speakers

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja

Tel: 952 52 43 94

Cinema

AquaClear



SPECIFICATIONS

Features

- 8 Seats, Including 2 Lounges
- 118 All-Active Hydrotherapy Jets
- 2 Lateral Water Fall
- 4 Cascading Water Features
- 6 Multiple Zoned Air Controls
- 2 Water Diverter Valves
- 2 Three and a Half Inch Wall LED Lights
- StarBrite Interior Perimeter LED lighting
- 4 Exterior Corner Panel LED Lights
- 6 Luxury Lighted Headrests
- 2 Curved Lighted Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Ultraviolet Water Cleaning System
- Programmable Filtration System
- High-Flow 3,0 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover

Dimensions / Capacities

- Length: 380 cm
- Width: 228 cm
- Height: 116 cm
- Water Capacity: 5000 liters
- Dry Weight: 750 Kgs
- Filled Weight: 5750 Kgs

Technical Specifications

- Pump 1: 3,0 HP
- Pump 2: 3,0 HP
- Pump 3: 3,0 HP
- Pump 4: 3,0 HP
- Pump 5: Circulation Pump
- Filtration: Three Pleated Cartridges
- Control System: Balboa
- Heating System: 3000 watts
- Insulation: Poly Urethane, Technology "Heat Lock"
- Electrical Requirements: 220 V / 30 A

42 Inch Pop-Up LCD TV Including DVD Player & 4 AquaCoutics Speakers

TimeOut Spas
www.timeoutspas.com

CN-340a, Km 290, 29780 Nerja

Tel: 952 52 43 94

Minimalist

AquaClear



SPECIFICATIONS

Features

- 4 Seats and 1 Lounge
- 22 All-Active Hydrotherapy Jets
- 3 Multiple Zoned Air Controls
- 1 Center Well 3.5 Inch LED Light
- StarBrite Interior Perimeter LED lighting
- 5 Luxury Headrests
- Multi-Layered Shell Construction
- Maintenance-Free Exterior Cabinet
- Ozone Oxidation System for Cleaner Water
- Programmable Filtration System
- High-Flow 3 HP Pumps
- Automatic Heating System
- Exterior Access Drain
- Marine Quality Lockable Thermal Cover
- Modern Design
- Insulation: Poly Urethane "Heat Lock"

Dimensions / Capacities

- Length: 220 cm
- Width: 195 cm
- Height: 79 cm
- Water Capacity: 1320 liters
- Dry Weight: 285 Kgs
- Filled Weight: 1605 Kgs

Technical Specifications

- Pump 1: 3 HP
- Pump 2: 3 HP
- Pump 3: Circulation Pump
- Filtration: Pleated Cartridge
- Control System: Balboa
- Heating System: 3000 watts
- Electrical Requirements:
220 V / 20 A