

AquaClear

Trainer I



SPECIFICATIONS

Dimensions

Length: 400 cm

Width: 228 cm

Height: 126 cm

3 Seats Including 1 Lounger
35 Massage Jets
4 Turbo Swim Jets
2 Multiple Zoned Air Controls
2 Water Diverter Valves
1 Five Inch Wall Led Light
StarBrite Interior LED Lighting
4 Exterior Corner Panel LED Lights
2 Luxury Headrests
Ozone Oxidation System
Programmable Filtration System
Automatic Heating System
Exterior Access Drain

Technical

Water Capacity: 7500 l.

Dry Weight: 1200 Kgs

Filled Weight: 8700 Kgs

Pumps 1, 2, 3, & 4: 3,0 HP
Pump 5: Circulation Pump
Filtration: Two 50 sq ft Cartridge
Heating System: 3,0 Kw Heating
Control System: Balboa Electronics
Insulation: Poly Urethane "Heat Lock"
Multi-Layered Shell Construction
Maintenance-Free Exterior Cabinet
Thermal Cover
Electrical Requirements: 220V / 30 A

All Jets in Stainless Steel!

TimeOut Spas ☎ 952 52 43 94

CN-340a, Km 291, Nerja, Malaga

AquaClear

Trainer II



SPECIFICATIONS

Dimensions

Length: 600 cm

Width: 22cm

Height: 26 cm

2 Seats

30 Massage Jets

4 Turbo Swim Jets

2 Multiple Zoned Air Controls

2 Water Diverter Valves

1 Five Inch Wall Led Lights

StarBrite Interior LED Lighting

4 Exterior Corner Panel LED Lights

2 Luxury Headrests

Ozone Oxidation System

Programmable Filtration System

Automatic Heating System

Exterior Access Drain

Technical

Water Capacity: 12500 l.

Dry Weight: 1500 Kgs

Filled Weight: 14000 Kgs

Pumps 1, 2, 3, & 4: 3,0 HP

Pump 5: Circulation Pump

Filtration: Three 50 sq ft Cartridge

Heating System: 3,0 Kw Heating

Control System: Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Multi-Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 220V / 30 A

All Jets in Stainless Steel!

TimeOut Spas ☎ 952 52 43 94

CN-340a, Km 291, Nerja, Malaga

AquaClear

Trainer III

SPECIFICATIONS

Dimensions

Standard: 400 X 228 X 127 cm

Deep: 400 X 228 X 152 cm

Equipment

1 Exercise seat

1 Rowing Kit

4 Turbo Swim Jets

2 Turbo Lifting Jets

2 Four Piece Waterfalls

4 Swim Jet Air Controls

2 Swim Jet Diverter Valves

2 3,5 Inch Floor Led Lights

StarBrite Interior LED Lighting

2 Exterior Corner Panel LED Lights

Ozone Oxidation System

Ultraviolet Purification System

Programmable Filtration System

Automatic Heating System

Exterior Access Drain

Technical

Capacity Standard: 7,500 l.

Dry Weight Standard: 1,200 Kgs

Capacity Deep: 9,000 l.

Dry Weight Deep: 1,400 Kgs

Pumps: 4 X 5,0 HP

Pump 5: Circulation Pump

Filtration: Two 50 sq ft Cartridge

Heating System: Hybrid Heating System

Control System: Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Triple Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 230V / 40A



All Jets in Stainless Steel!

TimeOut Spas



952 52 43 94

CN-340a, Km 291, Nerja, Malaga

SPECIFICATIONS

Dimensions

Standard: 500 X 228 X 127 cm

Deep: 500 X 228 X 152 cm

Equipment

1 Exercise seat

1 Rowing Kit

4 Turbo Swim Jets

2 Turbo Lifting Jets

2 Four Piece Waterfalls

4 Swim Jet Air Controls

2 Swim Jet Diverter Valves

2 3,5 Inch Floor Led Lights

StarBrite Interior LED Lighting

2 Exterior Corner Panel LED Lights

Ozone Oxidation System

Ultraviolet Purification System

Programmable Filtration System

Automatic Heating System

Exterior Access Drain

Technical

Capacity Standard: 10,000 l.

Dry Weight Standard: 1,400 Kgs

Capacity Deep: 12,000 l.

Dry Weight Deep: 1,600 Kgs

Pumps: 4 X 5,0 HP

Pump 5: Circulation Pump

Filtration: Two 50 sq ft Cartridge

Heating System: Hybrid Heating System

Control System: Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Triple Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 230V / 40A



All Jets in Stainless Steel!

AquaClear

Turbine



SPECIFICATIONS

Dimensions

Length: 600 cm

Width: 228 cm

Height: 130 cm

2 Seats

30 Massage Jets

1 AquaPower Turbine Jetstream

2 Multiple Zoned Air Controls

Five Inch Wall Led Light

StarBrite Interior LED Lighting

4 Exterior Corner Panel LED Lights

2 Luxury Headrests

Ozone Oxidation System

Programmable Filtration System

Automatic Heating System

Exterior Access Drain

Technical

Water Capacity: 12500 l.

Dry Weight: 1250 Kgs

Filled Weight: 13750 Kgs

AquaPower Turbine Jetstream

Pumps 2, & 3: 3,0 HP

Pump 4: Circulation Pump

Filtration: Three 50 sq ft Cartridge

Heating System: 3,0 Kw Heating

Control System: Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Multi-Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 220V / 30 A

All Jets in Stainless Steel!

TimeOut Spas  **952 52 43 94**

CN-340a, Km 291, Nerja, Malaga

AquaClear

Combi



SPECIFICATIONS

Dimensions

Length: 582 cm

Width: 224 cm

Height Combi: 130 cm

Height Combi Deep: 155 cm

8 Seats including two loungers
69 Massage Jets
4 Turbo Swim Jets
2 Multiple Zoned Air Controls
2 Water Diverter Valves
2 Five Inch Wall Led Lights
StarBrite Interior LED Lighting
4 Exterior Corner Panel LED Lights
4 Lighted Luxury Headrests
Ozone Oxidation System
Programmable Filtration System
Automatic Heating System
Exterior Access Drain

Technical

Water Capacity: 12500 l / 14500 l.

Dry Weight: 1550 / 1700 Kgs

Filled Weight: 14050 / 16200 Kgs

Pumps 1, 2, 3, 4, 5 & 6: 3,0 HP
Pump 7 & 8: Circulation Pumps
Filtration: Four 50 sq ft Cartridge
Heating System: 2 x 3,0 Kw Heating
Control System: 2 x Balboa Electronics
Insulation: Poly Urethane "Heat Lock"
Multi-Layered Shell Construction
Maintenance-Free Exterior Cabinet
Thermal Cover
Electrical Requirements: 2 x 220V / 30 A

All Jets in Stainless Steel!

TimeOut Spas ☎ 952 52 43 94

CN-340a, Km 291, Nerja, Malaga

AquaClear



Combi II



SPECIFICATIONS

Dimensions

Length: 580 cm
Long: 780 cm
Width: 228 cm
Height: 155 cm

4 Seats including a double lounger
38 Massage Jets
4 Turbo Swim Jets
2 Lateral Waterfalls
4 Cascading Water Features
4 Multiple Zoned Air Controls
2 Water Diverter Valves
2 5 Inch Wall Led Lights
StarBrite Interior LED Lighting
4 Exterior Corner Panel LED Lights
4 Lighted Luxury Headrests
Ozone Oxidation System
Programmable Filtration System
Automatic Heating System
Exterior Access Drain

Technical

Water Capacity: 15500 l.
Dry Weight: 1245 Kgs
Filled Weight: 16745 Kgs

Water Capacity Long: 21300 l.
Dry Weight Long: 1550 Kgs
Filled Weight Long: 22850 Kgs

Pumps 1, 2, 3 & 4: 3,0 HP
Pump 5: Circulation Pump
Filtration: Four 50 sq ft Cartridge
Heating System: 3,0 Kw Heating
Control System: Balboa Electronics
Insulation: Poly Urethane "Heat Lock"
Multi-Layered Shell Construction
Maintenance-Free Exterior Cabinet
Thermal Cover
Electrical Requirements: 220V / 30 A

All Jets in Stainless Steel!

TimeOut Spas ☎ **952 52 43 94**
CN-340a, Km 291, Nerja, Malaga

AquaClear

Combi II Long



SPECIFICATIONS

Dimensions

Length: 780 cm

Width: 228 cm

Height: 155 cm

4 Seats including a double lounger

38 Massage Jets

4 Turbo Swim Jets

2 Lateral Waterfalls

4 Cascading Water Features

4 Multiple Zoned Air Controls

2 Water Diverter Valves

2 5 Inch Wall Led Lights

StarBrite Interior LED Lighting

4 Exterior Corner Panel LED Lights

4 Lighted Luxury Headrests

Ozone Oxidation System

Programmable Filtration System

Automatic Heating System

Exterior Access Drain

Technical

Water Capacity: 21300 l.

Dry Weight: 1550 Kgs

Filled Weight: 22850 Kgs

Pumps 1, 2, 3 & 4: 3,0 HP

Pump 5: Circulation Pump

Filtration: Four 50 sq ft Cartridge

Heating System: 3,0 Kw Heating

Control System: Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Multi-Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 220V / 30 A

All Jets in Stainless Steel!

TimeOut Spas  **952 52 43 94**
CN-340a, Km 291, Nerja, Malaga

SPECIFICATIONS

Dimensions

Standard: 540 X 228 X 128 cm

Deep: 540 X 228 X 152 cm

Equipment

2 Seats and 1 Lounger
 1 Exercise seat
 1 Rowing Kit
 60 Massage Jets
 4 Turbo Swim Jets
 2 Turbo Lifting Jets
 1 Five Piece Waterfall (spa side)
 2 Four Piece Waterfalls (swim side)
 4 Swim Jet Air Controls
 2 Swim Jet Diverter Valves
 2 3,5 Inch Floor Led Lights (swim side)
 StarBrite Interior LED Lighting
 4 Exterior Corner Panel LED Lights
 3 Lighted Luxury Headrests
 Ozone Oxidation System
 Ultraviolet Purification System
 Programmable Filtration System
 Automatic Heating System
 Exterior Access Drains

Technical

Capacity Standard: 12,000 l.

Dry Weight Standard: 1,550 Kgs

Capacity Deep: 14,000 l.

Dry Weight Deep: 1,700 Kgs

Pumps: 6 X 5,0 HP + Wave Pump

Pumps: 2 X Circulation Pump

Pump 9: Air Blower

Filtration: Three 50 sq ft Cartridge

Heating System: Hybrid Heating System

Control System: 2 X Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Triple Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 380V / 3 x 20A

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoustics Speakers



All Jets in Stainless Steel!

SPECIFICATIONS

Dimensions

Standard: 720 X 228 X 128 cm

Deep: 720 X 228 X 152 cm

Equipment

2 Seats and 2 Loungers

1 Exercise seat

1 Rowing Kit

104 Massage Jets

4 Turbo Swim Jets

2 Turbo Lifting Jets

1 Five Piece Waterfall (spa side)

2 Five Piece Waterfalls (swim side)

2 Cascading Water Features

4 Swim Jet Air Controls

2 Swim Jet Diverter Valves

2 3,5 Inch Floor Led Lights (swim side)

StarBrite Interior LED Lighting

4 Exterior Corner Panel LED Lights

4 Lighted Luxury Headrests

Ozone Oxidation System

Ultraviolet Purification System

Programmable Filtration System

Automatic Heating System

Exterior Access Drains

Technical

Capacity Standard: 14,000 l.

Dry Weight Standard: 1,650 Kgs

Capacity Deep: 16,000 l.

Dry Weight Deep: 1,800 Kgs

Pumps: 6 X 5,0 HP + Wave Pump

Pump 7: Circulation Pump

Pump 8: Air Blower

Filtration: Three 50 sq ft Cartridge

Heating System: Hybrid Heating System

Control System: 2 X Balboa Electronics

Insulation: Poly Urethane "Heat Lock"

Triple Layered Shell Construction

Maintenance-Free Exterior Cabinet

Thermal Cover

Electrical Requirements: 380V / 3 x 20A

Stereo System with Ipod/MP3 Docking Station & 2 AquaCoustics Speakers



All Jets in Stainless Steel!