

## **ASTM D 36- IP 58-ISO EN 1427 - ISO 4625 - IP 58 - DIN 52011**

### **Scope**

This test method covers the determination of the softening point of bitumen.

### **- SOFTENING POINT RING & BALL - - MANUAL VERSION -**

### **MAIN CHARACTERISTICS**

Manual Ring & Ball apparatus two-test unit including:

- ✓ head frame for 2 rings with centring device
- ✓ 1 pack of 10 shouldered rings
- ✓ 1 pack of 10 balls
- ✓ 1 beaker
- ✓ and 1 ASTM 16 C thermometer

### **SCOPE OF DELIVERY**

MANUAL RING AND BALL delivered ready for use with :

- REF 11502** ASTM thermometer (15 C)
- REF 11503** ASTM thermometer (16 C)
- REF 11565** ASTM thermometer (113 C)

### **ACCESSORY**

- REF 26302** Electric stirrer with heater type E

### **CONSUMABLES**

- REF 20764** Pack of 10 straight rings
- REF 20765** Pack of 10 shouldered rings
- REF 25666** Pack of 10 conical rings
- REF 20766** Pack of 10 steel balls



CONTACT : [sales@normalab.com](mailto:sales@normalab.com)

NORMALAB FRANCE SAS  
ZA Caux Multipôles 1 - F-76 190 Valliquerville  
Tel. : +33 232 700 100  
Fax : +33 232 704 732

[www.normalab.com](http://www.normalab.com)

Point Ring & Ball Leaflet 14rev1

DISTRIBUTED BY